

09-28-01
Express Mail No.: ET318109029US
Deposit: September 27, 2001

2838/1
Attorney Docket No. 18133-102

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICANTS: Smith, *et al*

SERIAL NUMBER: 09/927,822

EXAMINER: Not Yet Assigned

FILING DATE: August 10, 2001

ART UNIT: 2838

FOR: UNINTERRUPTIBLE POWER SUPPLY (UPS) DEVICES
MONITORING SYSTEM



RECEIVED
OCT - 3 2001
TECHNOLOGY CENTER 2800

September 27, 2001
Boston, Massachusetts

Box PATENT APPLICATION
Assistant Commissioner for Patents
Washington, D.C. 20231

Sir:

TRANSMITTAL LETTER

Enclosed herewith for filing in the above-identified patent application please find the following listed items:

- ☒ Preliminary Amendment;
- ☒ Check in the amount of \$200.00 (#10318) for extra claims fee; and
- ☒ Return receipt postcard

In connection with the foregoing matter, please charge any additional fees which may be due, or credit any overpayment, to Deposit Account Number 50-0311, Reference 18133-102.
A duplicate copy of this letter is provided for this purpose.

Respectfully submitted,

Marianne M. Downing
Registration No. 42,870
Mintz, Levin, Cohn, Ferris,
Glovsky and Popeo, P.C.
One Financial Center,
Boston, Massachusetts 02111
Telephone 617/348-1765

Date: September 27, 2001

Express Mail No.: ET318108933US

Date of Deposit: October 10, 2001

ATTORNEY'S DOCKET NO: 18133-102

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants: Smith, et al.
Serial No: 09/927,822
Filed: August 10, 2001
For: UNINTERRUPTED POWER SUPPLY (UPS) DEVICES
MONITORING SYSTEM
Examiner: Not Yet Assigned
Art Unit: 2838

Box MISSING PARTS

Commissioner for Patents and Trademarks
Washington, D.C. 20231

Sir: TRANSMITTAL LETTER

Enclosed herewith for filing in the above-identified patent application please find the following listed items:

1. Response to Notice to File Corrected Application Papers;
2. Substitute drawings in compliance with 37 CFR 1.84, consisting of 11 sheets of Figures 1-11;
3. Copy of Notice to File Corrected Application Papers; and
2. Return Postcard.

In connection with the foregoing matter, please charge any additional fees which may be due, or credit any overpayment, to Deposit Account Number 50-0311, Reference 18133-102.
A duplicate copy of this letter is provided for this purpose.


Respectfully submitted,



Marianne M. Downing
Registration No. 42,870
Mintz, Levin, Cohn, Ferris,
Glovsky and Popeo, P.C.
One Financial Center,
Boston, Massachusetts 02111
Telephone 617/542-6000
Attorneys for Applicants

Date: October 10, 2001

Express Mail No. ET318108933US
Date of Deposit: October 10, 2001



ATTORNEY'S DOCKET NO: 18133-102

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants: Smith, et al.
Serial No: 09/927,822
Filed: August 10, 2001
For: UNINTERRUPTED POWER SUPPLY (UPS) DEVICES
MONITORING SYSTEM
Examiner: Not Yet Assigned
Art Unit: 2838

Box MISSING PARTS


Commissioner for Patents and Trademarks
Washington, D.C. 20231

RESPONSE TO NOTICE TO FILE CORRECTED APPLICATION PAPERS

Sir:

Responsive to the Notice To File Corrected Application Papers mailed September 14, 2001, Applicants submit herein the Substitute drawings in compliance with 37 CFR 1.84, consisting of 11 sheets of Figures 1-11. A copy of the Notice to File Corrected Application Papers is enclosed.

Respectfully submitted,


Marianne M. Downing, Esq., Reg. No. 42,870
Mintz, Levin, Cohn, Ferris,
Glovsky and Popeo, P.C.
One Financial Center
Boston, MA 02111
Telephone 617/542-6000
Attorneys for Applicants

Dated: October 10, 2001



UNITED STATES PATENT AND TRADEMARK OFFICE

OCT 10 2001

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
09/927,822	08/10/2001	Christian L. Kuiawa	18133-102

CONFIRMATION NO. 6244

FORMALITIES LETTER



OC000000006556144

Thomas M. Sullivan, esq.
Mintz, Levin, Cohn, Ferris, Glovsky and Popeo, P.C.
One Financial Center
Boston, MA 02111

Date Mailed: 09/14/2001

NOTICE TO FILE CORRECTED APPLICATION PAPERS


Filing Date Granted

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
 - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

*A copy of this notice **MUST** be returned with the reply.*


Customer Service Center
Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE